

INDEX MAPS.

T. 12N, R. 11E. 2nd Mer.

	143		143		143		142		142		141	
145	6	168	5	162	4	159	3	155	2	152	1	141
	167		167		162		158		154		152	149
145	7	167	8	162	9	158	10	154	11	151	12	140
	166		166		161		158		154		151	148
145	18	166	17	161	16	157	15	153	14	151	13	140
	165		165		161		157		153		151	148
									150			
144	19	165	20	160	21	156	22	152	23		24	140
	164		164		160		156		150	147		148
144	30	164	29	160	28	156	27	150	26	147	25	139
	163		163		159		155		149	146		146
144	31	163	32	159	33	155	34	149	35	146	36	139
	138		138		138		137		137		137	

T. 13N, R. 11E. 2nd Mer.

	175		175		175		174		174		174	
178	6	199	5	194	4	190	3	186	2	182	1	173
	199		198		193		190		186		182	
177	7	198	8	193	9	189	10	185	11	185	12	173
	198		197		193		189		185		181	
177	18	197	17	192	16	189	15	185	14	181	13	172
	197		196		192		188		184		180	
177	19	196	20	192	21	188	22	184	23	180	24	172
	196		195		191		188		184		180	178
176	30	195	29	191	28	187	27	183	26	179	25	172
	195		194		191		187		183		179	178
176	31	194	32	190	33	186	34	182	35	179	36	171
	171		170		170		170		169		169	

The figures on the lines refer to the page.

South Boundary.

var. 5.45'E

October 9th 1810

West On S. boundary of Sec. 36,
26.25 a W. Oak 50 in. diam.

40.00 Set q^r. Sec. post, from which
at Beech 13 in. diam. bear S 34 E 12 lkr. dist. 7
a Maple 24 " " " N 30 W 31 " "

80.00 Set post Cor. to Sec. 35 & 36, from which
a Sugar 8 in. diam. bear S 29 W 3 lkr. dist. 7
a Beech 9 " " " N 3 E 30 " "
Land flat, timber Beech, Gum, Poplar &c.

West On S. boundary of Sec. 35

33.68 Intersected boundary line & set post, from which
a Beech 20 in. diam. bear N 81 W 17 lkr. dist. 7
a Do. 15 " " " N 54 E 34 " "

Alexander Holmes, Deputy Surveyor

40.00 Set q^r. Sec. post, from which
at Beech 12 in. diam. bear S 53 E 17 lkr. dist. 7
a Do. 10 " " " N 70 W 6 " "

60.00 a Maple 12 " "

80.00 Set post Cor. to Sec. 34 & 35, from which
at Beech 10 in. diam. bear S 59 E 16 lkr. dist. 7
a Do. 7 " " " N 80 W 26 " "
Level land timber Beech, Maple, Elm, undg^{ed} Spice

West On S. boundary of Sec. 34

35.00 a Creek 40 lkr. wide Course S. E.

40.00 Set q^r. Sec. post, from which
a Beech 27 in. diam. bear N 64 W 11 lkr. dist. 7
a Poplar 60 " " " S 30 E 36 " "

53.85 at Beech 15 " "

80.00 Set post Cor. to Sec. 33 & 34, from which
at Beech 6 in. diam. bear S 35 E 15 lkr. dist. 7
a Do. 7 " " " N 56 W 18 " "
Land broken, Beech, Poplar &c.

T12 N. R11 E. 2^d Mer. Indianach^d. lkr.

West On S. boundary of Sec. 33

13.00 a Branch 15 lkr. wide Course S. E.

15.75 at Beech 12 in. diam^r.

24.75 at Branch - lkr. wide Course S. E.

40.00 Set of Sec. post, from which

a Beech 18 in. diam^r. bray S61 E 18 lkr. dist. 4

a Do. 6 " " " N 82 W 10 " "

44.60 at Branch 5 lkr. wide Course S. E.

53.40 at Beech 15 in. diam^r.

72.40 at Branch 8 lkr. wide Course S. E.

74.90 Same " " " N. E.

78.40 Same " " " S. E.

80.00 Set post Cor. to Sec. 32 & 33, from which

a Sugar 21 in. diam^r. bray S64 E 8 lkr. dist. 4

at Beech 6 " " " S 39 W 3 " "

Broken land, timber Beech, Poplar, Sugar, under, Spice

West On S. boundary of Sec. 32

0.60 a Branch 8 lkr. wide Course N. E.

2.60 Same " " " S. E.

40.00 Set of Sec. post, from which

an Ash 9 in. diam^r. bray S53 W 5 lkr. dist. 4

at Beech 9 " " " N 46 E 20 " "

55.90 an Ash 18 " "

58.40 at Branch 4 lkr. wide Course S. E.

80.00 Set post Cor. to Sec. 31 & 32, from which

an Ash 7 in. diam^r. bray N 75 W 11 lkr. dist. 4

a Dogwood 4 " " " S 46 E 9 " "

Gently rolling, timber Beech & Sugar, under, Spice

West On S. boundary of Sec. 31

20.85 a Beech 27 in. diam^r.

40.00 Set of Sec. post, from which

a Maple 18 in. diam^r. bray N 59 W 3 lkr. dist. 4

at Beech 6 " " " S 39 E 34 " "

52.88 Intersected the West boundary 14.50 ch^d. South of

T.D.N. R.M.E. 2nd Mer. Indianach. 1st 1st.

temp. post, set post Cor. to township 11 & 12 North
 Range 10 & 11 East, from which
 a Hackberry 24 in. diam. bray N70°W14¹/₂ lks. dist. &
 a Beech 9 " " " S79°E11 " "
 Gently rolling, good farming land, timber Beech
 Ash, Elm &c. under ^{the} Spice.

John M^c. Ronald M. S.

East Boundary

var. 5.45' E.

Oct. 8th 1810.

North On E. boundary of Sec. 36

16.00 a Beech 16 in. diam.

28.50 a Brook 25 lks. wide Course E.

40.00 Set q. Sec. post, from which

a Beech 12 in. diam. bray N88°E7¹/₂ lks. dist. &

a No. 12 " " " N40°W35 " "

65.00 a Brook 3 lks. wide Course E.

80.00 Set post (in Spring Course E.) Cor. to Sec. 25 & 36, from wh.

a Poplar 24 in. diam. bray S82°W10¹/₂ lks. dist. &

a No. 24 " " " N68°E29 " "

Land hilly, timber Oak, Beech &c

North On E. boundary of Sec. 25

3.50 a Brook 3 lks. wide Course E.

23.00 a No. 3 " " " E

40.00 Set q. Sec. post, from which

a Beech 16 in. diam. bray S62°W20¹/₂ lks. dist. &

a R. Oak 30 " " " N6°E20 " "

45.00 a Brook 3 lks. wide Course E.

55.00 a No. 3 " " " E

79.00 a W. Oak 17 in. diam.

80.00 Set post Cor. to Sec. 24 & 25 (in Creek 30 lks. C. S. E.) from wh.

an Elm 15 in. diam. bray N9°W22¹/₂ lks. dist. &

a Sugar 16 " " " N89°E48 " "

Land hilly, timber Oak, Beech, Sugar &c

T2 N R11 E 2^d Mer. Indiana

ch. lks.

North On E. boundary of Sec. 24

7.00 looft brook above (named)

17.00 a Brook 3 lks. wide Course W

40.00 Set q. Sec. post, from which
a Beech 12 in. diam. bray S 87 E 11 lks. dist. &
a Do. 6 " " " N 79 W 19 " "

79.50 a Brook 4 lks. wide Course E.

80.00 Set post Cor. to Sec. 13 & 24, from which
a Beech 16 in. diam. bray S 17 W 19 lks. dist. &
a Do. 18 " " " N 45 E 42 " "
Poor Beech land

North On E. boundary of Sec. 13

22.00 a Brook 3 lks. wide Course E.

40.00 Set q. Sec. post, from which
a Sugar 12 in. diam. bray S 55 E 12 lks. dist. &
a Do. 5 " " " N 40 W 14 " "

47.00 a Brook 6 lks. wide Course E.

75.00 a Do. 5 " " " E.

80.00 Set post Cor. to Sec. 12 & 13, from which
a Beech 8 in. diam. bray N 71 E 10 lks. dist. &
a Do. 30 " " " S 76 W 25 " "
Poor level Beech land

North On E. boundary of Sec. 12

2.00 a Brook 10 lks. wide Course S. E.

35.00 a Do. 8 " " " S. E.

40.00 Set q. Sec. post, from which
a Hickory 12 in. diam. bray S 86 E 16 lks. dist. &
a Do. 12 " " " N 13 W 20 " "

58.50 a Spring East

67.50 a Do. East

79.90 a Brook 3 lks. wide Course E.

80.00 Set post Cor. to Sec. 1 & 12, from which
a Beech 10 in. diam. bray South 26 lks. dist. &
a Sugar 14 " " " N 62 E 29 " "

T2 N. R11 E. 2nd Mer. Indiana

141

Ch. lks.

Land good, timber Beech

North On E. boundary of Sec. 1

28.50 a Spring Course N.W.

30.00 a Do. " N.E.

40.00 Set q. Sec. post, from which

a Beech 24 in. diam. bear S80°W 12 lks. dist. &

an Ironwood 8 " " " N88°E 16 " "

42.50 a Creek 60 lks. wide Course S.E.

47.00 a Brook 3 " " " W.

49.00 a Sugar 17 in. diam.

62.50 a Spring Course W.

72.00 a Brook 3 lks. wide Course W.

75.00 a Spring Course W.

80.00 Set post Cor. to Township 12 & 13 North of Range

11 & 12 East, from which

a Sugar 24 in. diam. bear S60°W 7 lks. dist. &

a Poplar 30 " " " N70°E 8 " "

Rich land very much broken with cuts, timber
Beech, Poplar & Sugar.

North Boundary

West On S. boundary of Sec. 36 T13 N. R11 E

2.50 a Spring Course S.W.

7.00 a Do. " South

17.00 a Brook 3 lks. wide Course S.

19.00 a Sugar 14 in. diam.

19.50 a Brook 3 lks. wide Course S.

38.00 intersected Boundary line, Set post, from which

a Beech 9 in. diam. bear N77°E 11 lks. dist. &

a Do. 24 " " " N43°W 33 " "

Broken with deep cuts, timber Sugar, Beech &c

Oct. 10th 1870 Alexander Holmes, Ll. S.

40.00 Set q. Sec. post, from which

(var. 6.00 E.

a Beech 10 in. diam. bear S50°W 14 lks. dist. &

a Sugar 9 " " " N26°W 14 " "

ch. lks.

45.00 a Creek 50 lks. wide Course S.

71.40 a Branch 5 " " " N.E.

72.00 a W. Oak 36 in. diam.

72.50 same branch Course South

74.45 same " " " N.E.

80.00 Set post Cor. to Sec. 35 of 36, from which
a Sugar 7 in. diam. bray S 41 E 16 lks. dist. &
a Ho. 12 " " " N 18 E 14 " "Broken land timber Beech, Poplar, Sugar &c.
undergrowth Spice & dogwood

West On S. boundary of Sec. 35, T13 N. R11 E.

3.90 a Sugar 20 in. diam.

27.50 a Spring branch Course N.E.

35.50 a branch 4 lks. wide Course N.W.

40.00 Set q. Sec. post, from which
a Beech 3 in. diam. bray S 43 W 24 lks. dist. &
a Sugar 14 " " " N 49 E 13 " "

47.80 a Branch 4 lks. wide Course N.E.

53.40 a Ho. 4 lks. " " " N.E.

61.50 a Ho. 3 " " " N.E.

66.00 a Beech 21 in. diam.

80.00 Set post Cor. to Sec. 34 of 35, from which
a Sugar 36 in. diam. bray S 74 W 22 lks. dist. &
an Ash 10 " " " N 8 E 21 " "
Broken land, timber Beech, Ash, Sugar,
Poplar &c. undergth. Spice, Soil good.

West On S. boundary of Sec. 34, T13 N. R11 E

15.50 a Beech 15 in. diam.

40.00 Set q. Sec. post, from which
a Beech 9 in. diam. bray S 67 E 11 lks. dist. &
a Buckeye 8 " " " S 89 W 18 " "

64.50 an Elm 9 " "

72.46 a Branch 8 lks. wide Course S. E.

80.00 Set post Cor. to Sec. 33 of 34, from which

T12 N R11 E. 2nd Mer. Indiana 143

ch. lks

an Elm 9 in. diam. bear S 5 E 20 lks. dist. 5
a Do. 10 " " " N 20 E 10 " "
First 1/2 mile Broken - 2nd 1/2 rolling 1st rate
timber Beech, Cherry, Walnut, Elm &c.
undergth Spice

West On S. boundary of Sec. 33, T13 N, R11 E.

13.80 a Sugar 10 in. diam.

40.00 Set of Sec. post, from which

an Elm 27 in. diam. bear South 18 lks. dist. 5
a Do. 20 " " " N 15 W 19 " "

53.65 a Beech 18 " "

80.00 Set post Corner to Sec. 32 & 33, from which

a Beech 9 in. diam. bear N 52 E 19 lks. dist. 5
an Ash 5 " " " S 45 W 12 " "

Land gently rolling 1st rate, timber Beech, Cherry
Walnut, Elm, &c. undergth Spice, pawpaw &c

West On S. boundary of Sec. 32, T13 N, R11 E.

7.85 a Beech 24 in. diam.

40.00 Set of Sec. post, from which

a Beech 27 in. diam. bear South 22 lks. dist. 5
a Cherry 6 " " " N 10 W 19 " "

57.20 a W. Oak 15 " "

80.00 Set post Cor. to Sec. 31 & 32 from which

a Sugar 7 in. diam. bear S 22 E 35 lks. dist. 5
an Ash 12 " " " N 4 E 22 " "

Level land, timber Beech, Ash, Sugar, Elm &c.
undergth Spice & Pawpaw, Soil good

West On S. boundary of Sec. 31, T13 N, R11 E.

8.75 an Ash 27 in. diam.

40.00 Set of Sec. post, from which

a Sugar 6 in. diam. bear N 40 E 11 lks. dist. 5
a Beech 5 " " " S 21 W 16 " "

52.21 Intersected W. boundary 2.38 lks. South of

1244

T12N R11E, 2^d Mer. Indianach. 6th.

of the post let post Cor. to Township 12 of
 13 North, Range 10 of 11 East, from which
 a Swp. Ash 9 in. diam. bear S81 E 6 lks. dist. &
 a Hickory 6 " " " S83 W 18 " "
 Land level, timber, Beech, Elm, Ash &c
 undry. " Spice &c. Soil good
 July 10th. 1819

West Boundary var. 6° 30' E.
 North On E. boundary of Sec. 36, T12N, R10E.
 14.70 a Blue Ash 18 in. diam.
 40.00 let q. Sec. post, from which
 a Beech 9 in. diam. bear S9 E 16 lks. dist. &
 an Ash 15 " " " N32 W 17 " "
 64.71 a Beech 9 " "
 80.00 let post Cor. to Sec. 25 of 36, from which
 a Blue Ash 12 in. diam. bear East 20 lks. dist. &
 a Walnut 40 " " " S74 W 20 " "
 Land level, timber Beech, Ash &c.

North On E. boundary of Sec. 25, T12N, R10E
 19.37 a Branch 6 lks. wide Course N.W.
 31.85 a Hickory 24 in. diam.
 40.00 let q. Sec. post, from which
 a Beech 6 in. diam. bear N61 E 38 lks. dist. &
 a Do. 30 " " " N46 W 33 " "
 80.00 let post Cor. to Sec. 24 of 25, from which
 a Sugar 27 in. diam. bear S83 E 20 lks. dist. &
 a Beech 5 " " " N81 W 28 " "
 Level land, timber, Beech, Ash, Walnut &c.

North On E. boundary of Sec. 24, T12N, R10E.
 4.47 a Branch 5 lks. wide Course NE.
 14.53 a Hickory 9 in. diam.
 40.00 let q. Sec. post, from which
 a Beech 8 in. diam. bear N31 W 18 lks. dist.

T12N R11E, 2^d Mer. Indiana

145

ch. lks.

- a Beech 6 in. diam. bray S25E22 lks. dist.
 58.14 a Swamp Ash 22 in. diam.
 80.00 Set post Cor. to Sec. 13 of 24, from which
 a Beech 7 in. diam. bray S13W10 lks. dist. &
 a Do. 6 " " " N42E14 " "
 Sand, timber &c. same as on the last mile

North On E. boundary of Sec. 13, T12N, R11E.

- 14.97 a Sugar 22 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Beech 30 in. diam. bray N28E10 lks. dist. &
 a Sugar 9 " " " N65E16 " "
 52.12 a Blue Ash 15 in. diam.
 80.00 Set post Cor. to Sec. 12 of 13, from which
 a Beech 6 in. diam. bray N41E25 lks. dist. &
 a Hickory 4 " " " S29W18 " "
 Sand, timber &c. same as on the last mile

North On E. boundary of Sec. 12, T12N, R10E.

- 2.08 an Elm 36 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Beech 6 in. diam. bray N69W8 lks. dist. &
 a Do. 8 " " " N81E12 " "
 68.67 a Branch 8 lks. wide Course N.W.
 80.00 Set post Cor. to Sec. 1 of 12, from which
 an Ash 18 in. diam. bray S79E32 lks. dist. &
 a Poplar 4 " " " S85W20 " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1, T12N, R10E.

- 33.42 a Sugar 30 in. diam.
 40.00 Set q^r. Sec. post, from which
 a W. Beech 6 in. diam. bray N35W15 lks. dist. &
 a Hickory 6 " " " N81E5 " "
 80.00 Set temp. Town Corner.
 (Description of land &c. Omitted)

Sp. N. C. E. 2nd Mer. Indiana
 ch. lks
 July 13th 1819
 John M. C. Donald, D.S.

Subdivision.

North / Between Sec. 35 & 36

25.80 a Sugar 18 in. diam.

40.00 Set of Sec. post, from which
 a Beech 10 in. diam. & bay S 38 W 10 lks. dist. of
 a Lym 14 " " " N 68 W 24 " "

44.50 a run 35 lks. wide run East

52.00 a Hickory 15 in. diam.

80.00 Set post Cor. to Sec. 25, 26, 35 & 36 from which
 a Beech 22 in. diam. & bay N 27 W 23 lks. dist. of
 a Do. 20 " " S 75 W 24 " "
 This mile over hill 3rd rate land, timber
 Oak, Beech, Poplar & Sugar

East On Rand. between Sec. 25 & 36

3.50 a run 20 lks. wide run S 18 E.

33.50 a Do. 15 " " " S.

40.00 Set temp. of Sec. post

52.25 a watercourse 10 lks. wide run S.

80.16 Intersected E. boundary 21 lks. S. of post
 Land timber &c. same as on the East side

West Corrected between Sec. 25 & 36

40.08 Set of Sec. post at average dist. from which
 a Beech 8 in. diam. & bay N 32 E 7 lks. dist. of
 a Do. 12 " " " S 71 W 20 " "

80.16 to Sec. Corner

West / Between Sec. 26 & 35

4.23 a Sugar 12 in. diam.

21.17 Intersected the boundary line & set post
 from which

147

Sec. N. R. 11 E, 2^d Mer. Indiana
ch. 1st 1/2.

a Beech 12 in. diam. brang N 29 W 9 1/2 k. dist. 5
a Do. 14 " " " S 20 E 25 " "
Overhilly 3^d rate land, timber Oak, Beech
and Poplar.

North Between Sec. 25 & 26

8.50 a run 16 k. wide run S 15 E
29.40 a Beech 14 in. diam. on the line
40.00 Set q. Sec. post, from which
a Beech 8 in. diam. brang S 22 W 23 1/2 k. dist. 4
a Do. 6 " " " N 68 W 8 " "
45.00 a run 12 k. wide run S. W.
80.00 a Sugar 12 in. diam. Cor. to Sec. 23, 24, 25 & 26
This mile Over broken 3^d rate land, timber
Oak, Beech, Poplar & Sugar.

West Between Sec. 23 & 26

9.16 to boundary line, and set post from which
a Beech 18 in. diam. brang S 61 W 5 1/2 k. dist. 8
a Do. 14 " " " S 12 E 16 " "

North Between Sec. 23 & 24

5.12 a Sugar 12 in. diam.
28.10 a Small watercourse run E.
40.00 Set q. Sec. post, from which
a Sugar 12 in. diam. brang S 79 E 22 1/2 k. dist. 8
a Do. 10 " " " S 39 W 6 " "
46.00 a Beech 24 " " on the line, standing
on the bank of a watercourse 15 k. wide
run South East
52.83 Intersected boundary line & set post, from which
a Beech 5 in. diam. brang N 31 W 4 1/2 k. dist. 8
a Do. 8 " " " S 64 E 24 " "
Over level 2^d rate land timber Oak, Beech,
Poplar and Sugar.

T12 N R11 E. 2^d. Mer. Indiana

ch. 1/4

East On Rand^m. between Sec. 24 & 2540.00 Set temp^y. g^r. Sec. post80.00 Introduced the E. boundary 37 l^y. S. of post. Over hilly 3^d. rate land, timber Oak, Beech and Poplar

West Corrupted between Sec. 24 & 25

40.00 Set g^r. Sec. post at average dist. from which
a Beech 10 in. diam. bear N 24 E 18 l^y. dist. &
a B. Oak 20 " " " S 19 W 23 " "
80.00 to Sec. Corner.

West between Sec. 13 & 24

5.85 a B. Oak 48 in. in the line

40.00 Set g^r. Sec. post, from which
a Beech 8 in. diam. bear S 33 E 5 l^y. dist. &
a Do. 20 " " " S 83 W 20 " "51.25 a run 30 l^y. wide Course S 34 E.

52.80 a Beech 20 in. diam. in the line

76.27 to boundary line & set post, from which
a Beech 9 in. diam. bear S 46 W 11 l^y. dist. &
a Do. 15 " " " N 42 E 19 " "
Over hilly 3^d. rate land, timber Oak,
Beech, Poplar and Sugar

West Between Sec. 12 & 13

17.40 a Sugar 12 in. diam. in the line

36.60 a Watercourse 10 l^y. wide Course N.40.00 Set g^r. Sec. post, from which
a Beech 24 in. diam. bear N 52 W 33 l^y. dist.
a Do. 10 " " " N 82 E 10 " "63.39 to boundary line & set post, from which
a Beech 7 in. diam. bear S 19 W 11 l^y. dist. &
a Poplar 48 " " " N 19 W 19 " "
Land timber &c. Same as on the last mile

T12. N. R11 E. 2. Mer. Indiana 149
 ch. 114.

West Between Sec. 1 & 12

18.15 a Beech 15 in. diam. in the line
 40.00 a Beech — in diam. of Sec. Corner
 50.82 to boundary line & set post, from which
 a Poplar 48 in. diam. bear North 5 lks. dist. &
 a Beech 8 " " " S10 W17 " "
 Land timber &c. same as on the last mile
 December — 1810.

William Ludlow, W. S.

In the New Purchase

North Between Sec. 34 & 35

18.50 a stream 12 lks. wide Course S. W.
 26.20 a Beech 24 in. diam.
 40.00 Set of Sec. post, from which
 a Beech 5 in. diam. bear N 61 W 16 lks. dist. &
 a Poplar 60 " " " East 12 " "
 41.25 a Poplar 48 " "
 80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
 a Beech 16 in. diam. bear S 4 E 18 lks. dist. &
 a Sugar 13 " " " N 8 W 25 " "
 Land broken but rich 2^d. rate, timber Beech,
 Hickory, H. Oak, underbrush Spice

East On Land^m. between Sec. 26 & 35

23.10 a Spring Course
 34.25 a Do. Do.
 40.00 Set temp. of Sec. post
 47.50 a creek 40 lks. wide Cr. S. E. rapid water, stony bottom
 60.00 intersected boundary line 160 lks. N. of old post
 Land very hilly 3^d. rate, Beech, Ash, Oak,
 undergrowth Spice

West Corrected between Sec. 26 & 35

40.58 Set of Sec. post at average dist. from which
 a Beech 6 in. diam. bear S 10 E 16 lks. dist. &

Sp. N. R. H. E. I. Mer. Indiana

ch. 1/2

a Beech 24 in. diam. bear N 77° W 1/2 ch. dist.
81.16 to Sec. Corner.

North Between Sec. 26 & 27

40.00 Set g. Sec. post, from which
a Beech 12 in. diam. bear N 61° E 1/2 ch. dist. of
a Co. 6 " " " S 39° W 9 " "

52.22 a Sugar 7 " "

61.10 a Stream 20 ch. wide Course S. E.

76.64 a Co. 10 " " " South

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
a Beech 10 in. diam. bear S 18° E 1/2 ch. dist. of
a Sugar 10 " " " N 20° W 25 " "
First 1/2 mile level inclining to west 2° rate
last 1/2 broken 2° rate, Beech, Ash, Sugar
undergth Spruce &c

East On Land^g between Sec. 23 & 26

0.40 a Stream 8 ch. wide Course South

10.25 a Co. 25 ch. " " S. E.

23.25 a Co. 5 " " N. E.

40.00 Set temp^l g. Sec. post

70.40 a Stream 10 ch. wide Course South

72.07 Intersected the boundary line 293 ch. North
of the old Corner. Land (much broken
3° rate, Beech, Ash, Sugar, undergth Spruce

West Corrected between Sec. 23 & 26

40.61 Set g. Sec. post at average dist. from which
a Poplar 20 in. diam. bear S 32° W 9 ch. dist. of
a Beech 8 " " " N 20° E 18 " "

81.22 to Sec. Corner. September 9th 1819

North Between Sec. 23 & 24 (from post on boundary)

8.70 a Beech 18 in. diam.

151

S 12 N 11 E 2nd Mer. Indiana

ch. 1/2

27.17 Set post Corner to Sec. 13, 14, 23 & 24, from which
a Sugar 24 in. diam. bear S 87 E 21 ch. dist. 7
a Beech 6 " " " N 72 W 7 " "
Land broken 2nd rate, Beech, Ash, Sugar, Spice

East On Rand^m between Sec. 13 & 24

4.38 intersected Old Indian boundary 5 ch. S.
of post

West Corrected between Sec. 13 & 24

80.65 to Sec. Corner (whole length)

North between Sec. 13 & 14

0.52 a Sugar 20 in. diam.

9.75 a Stream 8 ch. wide Course S. E.

21.40 a Spring Course

30.00 a Do. Do.

40.00 Set q^r. Sec. post, from which

a Beech 10 in. diam. bear N 50 W 5 ch. dist. 3

a Do. 6 " " " S 55 E 17 " "

41.90 a Hickory 36 " "

57.25 a Stream 25 ch. wide Course S. E. rocky bottom

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which

a Beech 12 in. diam. bear N 17 W 21 ch. dist. 9

a Do. 18 " " " S 47 W 8 " "

Land very hilly & poor, Beech, Ash, Sugar,
underg^r. Spice &c

East On Rand^m between Sec. 12 & 13

16.55 Intersected Old boundary line 23 ch. N. of post

West Corrected between Sec. 12 & 13

79.94 to Sec. Corner.

North Between Sec. 11 & 12

16.82 a Poplar 22 in. diam.

40.00 Set q^r. Sec. post, from which

a Beech 11 in. diam. bear S 63 W 18 ch. dist. 9

T12 N R11 E. 2.^d Mer. Indiana

ch. 1/4.

- a Hickory 14 in. diam.: bray N 80 E 28 lks. dist.
 46.12 a Maple 12 " "
 80.00 Set post cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 14 in. diam.: bray S 21 W 14 lks. dist. &
 a flo. 7 " " " N 3 E 20 " "
 First 1/2 mile broken 3.^d rate, last 1/2 level
 inclining to wet, 2.^d rate, Beech, Hickory & Sugar.

East On / Cand.: between Sec. 1 & 12

- 28.23 Intersected old boundary 20 1/4 lks. N. of post
 Land level inclining to be wet
 West Connected between Sec. 1 & 12
 79.05 (whole length) to Sec. Corner

North Between Sec. 1 & 2

- 1.16 a Sugar 18 in. diam.:
 32.10 a Spring Course
 40.00 Set of Sec. post, from which
 a Beech 16 in. diam.: bray S 59 E 13 lks. dist. &
 a flo. 16 " " " N 41 W 26 26 " "
 52.65 a Beech 13 " "
 57.50 a Spring Course
 69.10 a Stream 13 lks. wide Course East
 75.00 Intersected N. boundary at the post, where
 made a Corner for Sec. 1 & 2, from which
 a Sugar 14 in. diam.: bray N 12 E 15 lks. dist. &
 a flo. 8 " " " S 42 E 15 " "
 Land very broken 3.^d rate, Beech, Hickory
 Ash, Sugar, underg.th Spice

North Between Sec. 22 & 23

- 4.46 a Spring Course
 16.21 a Sugar 16 in. diam.:
 39.60 a Stream 15 lks. wide Course S. E.
 40.00 Set of Sec. post, from which

Sp 12 N R M E. 2^d. Mer. Indiana

ch. 1st 1/2.

- a Sycamore 20 in. diam. bray S 5 E 45 lks. dist. of
 a Sugar 11 " " " N 2 W 46 " "
 43.36 a Beech 11 " " "
 80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
 a Walnut 48 in. diam. bray S 77 E 24 lks. dist. of
 a Sugar 12 " " " N 68 W 4 " "
 Land very much broken, 3^d. rate, Beech, Ash, Sugar &c. undergth. Spice
-

East On Land^m between Sec. 14 & 23

- 6.50 a Stream 6 lks. wide Course S. E.
 40.00 Set temp^y. of Sec. post
 81.17 Intersected the N & S. line 300 lks. N. of post
 Land level, wet 5^d. rate, Beech, Ash, Hick^y.
 Sugar &c. undergth. Spice
-

West Connected between Sec. 14 & 23

- 40.58 1/2 Set of Sec. post at average dist. from which
 a Beech 6 in. diam. bray S 80 W 23 lks. dist. of
 an Ash 20 " " " S 85 E 14 " "
 81.17 to Sec. Corner
-

North Between Sec. 14 & 15

1. 12 a Sugar 10 in. diam.
 4.25 a Stream 16 lks. wide Course S. E.
 40.00 Set of Sec. post, from which
 a Beech 16 in. diam. bray S 77 W 31 lks. dist. of
 a Buckeye 9 " " " N 20 E 24 " "
 48.25 a Stream 6 lks. wide Course South
 49.00 an Elm 11 in. diam.
 80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 20 in. diam. bray S 76 W 28 lks. dist. of
 a Sugar 9 " " " N 22 E 6 " "
 First 1/2 mile broken 2^d. rate - last 1/2 mile
 rolling 1st. rate, Beech, Ash, Poplar, Sugar &c.
 undergth. Spice - Sept. 10th 1819

T2 N R11 E. 2nd Mer. Indianach² lks.East On Rand^m. between Sec^s. 11 & 14

22.50 a Stream 20 lks. wide Course East

40.00 Set temp^y. q^r. Sec. post

65.31 a Stream 25 lks. wide Course South

80.50 Intersected the N & S. line 175 lks. N. of post. Land broken 2nd rate, Beech, Ash, Sugar, undergth. SpiceWest Corrected between Sec^s. 11 & 1440.25 Set q^r. Sec. post at average dist. from which
a Beech 17 in. diam. brang N 69 E 3 lks. dist. of
a No. 5 " " " N 21 W 18 " "

80.50 to Sec. Corner.

North between Sec^s. 10 & 11

10.75 a Stream 22 lks. wide Course S. E.

16.00 a Poplar 36 in. diam.

40.00 Set q^r. Sec. post, from which
a Beech 24 in. diam. brang N 51 W 14 lks. dist. of
a Dogw. 6 " " " S 22 W 7 " "80.00 Set post Cor. to Sec^s. 2, 3, 10 & 11, from which
a Sugar 6 in. diam. brang N 83 E 9 lks. dist. of
a Ash 18 " " " N 37 W 6 " "
Land broken 2nd rate Beech, Ash, Sugar,
undergth. SpiceEast On Rand^m. between Sec^s. 2 & 11

18.40 a Spring Course

19.20 a Stream 15 lks. wide Course S. E.

40.00 Set temp^y. q^r. Sec. post81.97 Intersected the N & S. line 365 lks. N. of post
Land broken 2nd rate, Beech, Ash, Sugar, SpiceWest Corrected between Sec^s. 2 & 1140.98 1/2 Set q^r. Sec. post at average dist. from which

T12 N R11 E 2nd Mer. Indiana

ch. 1st Mer.

a Beech 19 in. diam. bray S 41 E 25 lks. dist. 1/2
 a Sugar 24 " " " N 26 W 24 " "
 81.97 to Sec. Corner

North Between Sec. 2 & 3

3.58 a Beech 16 in. diam.
 27.25 a Stream 17 lks. wide Course East
 40.00 Set g. Sec. post, from which
 a Beech 24 in. diam. bray S 12 W 37 lks. dist. 1/2
 a Sugar 11 " " " N 27 E 22 " "
 44.91 a W. Oak 60 " "
 70.50 Intersected N. boundary 250 lks. W. of post
 Set post Cor. to Sec. 2 & 3, from which
 a Beech 24 in. diam. bray N 15 W 15 lks. dist. 1/2
 a Ro. 30 " " " S 15 E 16 " "
 Land broken 2nd rate, Beech, Sugar, &c
 undergth Spice

North Between Sec. 33 & 34

15.50 a Beech 18 in. diam.
 40.00 Set g. Sec. post, from which
 a Beech 18 in. diam. bray N 33 W 13 lks. dist. 1/2
 a Ro. 20 " " " S 39 E 83 " "
 73.30 a Stream 6 lks. wide Course East
 80.00 Set post Cor. to Sec. 27, 28, 33 & 34 from which
 a Beech 12 in. diam. bray N 27 W 28 lks. dist. 1/2
 a Ro. 20 " " " S 17 E 27 " "
 Land broken 2nd rate - Beech &c. undergth Spice

East On Rand^m between Sec. 27 & 34

40.00 Set temp^y g. Sec. post
 42.75 a Spring Course
 49.10 a Stream 15 lks. wide Course S. E.
 78.78 Intersected the N & S. line 48 lks. N. of post
 Broken 2nd rate land, Beech, Ash, Poplar, Sugar, Spice

T2N R11E. 2^d Mer. Indianach. 2^{ly}

West Corrected between Sec. 27 & 34

39.39 Set g^r. Sec. post at average dist. from which
a Beech 12 in. diam^t. bear N 83 E 13 l^{ks}. dist. 5
a No. 12 " " " S 83 W 15 " "

78.78 to Sec. Corner

North Between Sec. 27 & 28

1.75 a Poplar 36 in. diam^t.36.10 a Stream 20 l^{ks}. wide Course S. E.40.00 Set g^r. Sec. post, from which
a Beech 8 in. diam^t. bear S 64 W 13 l^{ks}. dist. 5
a No. 6 " " " N 73 E 8 " "80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 12 in. diam^t. bear S 87 W 18 l^{ks}. dist. 5
a No. 6 " " " N 37 E 14 " "First 1/2 mile broken 2^d rate - last 1/2 mile
rolling 1st rate, Beech, Ash, Sugar, Spice
September 11th 1879East On Rand^m. between Sec. 22 & 2740.00 Set temp^y. g^r. Sec. post64.40 a Stream 20 l^{ks}. wide Course S.

77.25 a No. 8 " " " S

78.10 a Spring Course

78.60 Intersected tract of S. line 282 l^{ks}. N. of post
Land very hilly 3^d rate, Beech, Sugar, Spice

West Corrected between Sec. 22 & 27

39.30 Set g^r. Sec. post at average dist. from which
a Beech 8 in. diam^t. bear N 15 W 39 l^{ks}. dist. 5
a Sugar 12 " " " S 29 E 24 " "

78.60 to Sec. Corner

North Between Sec. 21 & 22

10.87 an Ash 9 in. diam^t.

157

12th N. C. E. 2nd Mer. Indiana

ch. l. lky.

- 17.60 a Stream 8 lky. wide Course E.
 33.25 a Do. 12 " " " E.
 36.60 a Spring Course
 40.00 Set gr. Sec. post, from which
 a Beech 12 in. diam. bray S 39 E 21 lky. dist. of
 a Sugar 9 " " " N 39 W 30 " "
 47.98 a Sugar 11 " "
 80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
 a Sugar 16 in. diam. bray N 6 E 13 lky. dist. of
 a Beech 4 " " " N 21 W 10 " "
 First 1/2 mile broken 2nd rate last 1/2 rolling 1st rate
 Beech & Sugar, undergth Spice
-

East On Land between Sec. 15 & 22

- 36.50 a Stream 15 lky. wide Course S. E.
 40.00 Set temp. gr. Sec. post
 78.75 Intersected the N & S. line 40 lky. N. of post
 Broken 2nd rate, Beech & Sugar, undergth Spice
-

West Corrected between Sec. 15 & 22

- 39.37 Set gr. Sec. post at average dist. from which
 an Elm 20 in. diam. bray S 53 E 18 lky. dist. of
 a Beech 6 " " " N 31 W 9 " "
 78.75 to Sec. Corner.
-

North Between Sec. 15 & 16

- 8.53 an Ash 13 in. diam.
 12.20 a Stream 25 lky. wide Course S. E.
 36.10 a Spring Course
 40.00 Set gr. Sec. post, from which
 a Beech 30 in. diam. bray N 60 E 5 lky. dist.
 a Sugar 10 " " " S 74 W 46 " "
 76.00 a Sugar 15 " "
 80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
 a Walnut 18 in. diam. bray N 23 E 14 lky. dist. of

Twp. N. R. 11 E. 2^d. Mer. Indianach. 2^d lky

Sugar 8 in. diam^r; bray N 69 W 3 lky. dist.
Land some broken, but very rich, Beech
Ash, Poplar, Sugar, Walnut & much Spice

East On Rand^m between Sec. 10 & 1540.00 Set temp^y. q^r. Sec. post

78.69 Intersected the N & S. line 10 lky. N. of post
Land level & rich, Beech, Ash, Sugar, much Spice

West Corrected between Sec. 10 & 15

39.34 1/2 set q^r. Sec. post at average dist. from which
a Sugar 18 in. diam^r; bray N 72 E 4 lky. dist.
a Do. 4 " " " N 83 W 16 " "

78.69 to Sec. Corner

North Between Sec. 9 & 10

17.13 a Sugar 14 in. diam^r.40.00 Set q^r. Sec. post, from which

a Sugar 8 in. diam^r; bray N 69 W 5 lky. dist. &
a Do. 8 " " " N 72 E 31 " "

78.25 an Ash 48 " "

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Sugar 8 in. diam^r; bray N 9 W 13 lky. dist. &
a Do. 12 " " " S 9 W 24 " "

Land level 1st rate, Beech, Ash, Poplar
Sugar & Walnut.

East On Rand^m between Sec. 3 & 1040.00 Set temp^y. q^r. Sec. post

78.91 Intersected the N & S. line 39 lky. N. of post
1st half mile level 1st rate - last 1/2 part broken 2^d.
rate, timber, Beech, Ash, Sugar, Spice

West Corrected between Sec. 3 & 10

39.45 1/2 set q^r. Sec. post at average dist. from which

T2 N R11 E. 2^d. Mer. Indiana

159

ch. lks.

a Sugar 8 in. diam. bear S84E 4 lks. dist. &
at Beech 11 " " " N66W 21 " "

78.91 to Sec. Corner

North Between Secs. 3 & 4

40.00 Set q^r. Sec. post, from which
a Poplar 5 in. diam. bear N55E 5 lks. dist. &
a Walnut 10 " " " S34W 13 " "

67.98 intersected the N. boundary 216 lks. W. of post
Set post Cor. to Secs. 3 & 4, from which
a Sugar 16 in. diam. bear N81E 27 lks. dist. &
an Ash 24 " " " S29W 13 " "

Land level & very rich 1st rate, timber Beech,
Ash, Poplar, Sugar, Walnut, underg^d. Spice
September 12th 1819

North Between Secs. 32 & 33

0.12 a Stream 16 lks. wide Course E.

34.83 at Beech 15 in. diam.

40.00 Set q^r. Sec. post, from which
a Buckeye 11 in. diam. bear S25E 14 lks. dist. &
an Ash 6 " " " S86W 14 " "

44.92 a Sugar 24 " "

80.00 Set post Cor. to Secs. 28, 29, 32 & 33, from which
a Beech 12 in. diam. bear N66W 18 lks. dist. &
a Poplar 48 " " " N34E 30 " "

Land rolling, thin 2^d rate, Beech, Sugar,
underg^d. Spice &c.

East On Random between Secs. 28 & 33

12.64 a Stream 14 lks. wide Course S. E.

40.00 Set temp^y. q^r. Sec. post

80.32 Intersected the N. & S. line at the post

Broken 2^d rate land, Beech, Ash, Sugar, Spice

S 12 N R 11 E 2nd Mer. Indiana

ch. lks.

West Corrected between Sec. 28 & 33

40.16 Set g. Sec. post at average dist. from which
 a Beech 6 in. diam. & bray S 42 E 9 lks. dist. &
 a Do. 6 " " " N 30 W 13 " "

80.32 to Sec. Corner

North Between Sec. 28 & 29

15.44 a Sugar 9 in. diam.

40.00 Set g. Sec. post, from which
 a Sugar 8 in. diam. & bray S 74 E 5 lks. dist. &
 a Do. 5 " " " N 67 W 20 " "

60.73 at Beech 18 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
 a Beech 48 in. diam. & bray N 42 W 7 lks. dist. &
 a Sugar 5 " " " S 21 E 25 " "

Sand rolling, 1st half mile thin soil - last 1/2
 mile soil rich, timber Beech, Ash, Poplar,
 Sugar & some Walnut, undergrowth, Spice very close

East On Rand. between Sec. 21 & 28

40.00 Set temp. g. Sec. post

80.33 Intersected the N & S. line 55 lks. S. of post
 Land broken but rich, Beech, Ash, Sugar
 Poplar, undergth Spice

West Corrected between Sec. 21 & 28

40.16 1/2 Set g. Sec. post at average dist. from which
 a Beech 24 in. diam. & bray South 13 lks. dist. &
 a Do. 14 " " " North 19 " "

80.33 to Sec. Corner Sept. 13th 1819

North Between Sec. 20 & 21

14.09 a Sugar 12 in. diam. & bray

39.00 a Stream 10 lks. wide Course S. E.

40.00 Set g. Sec. post from which
 a Beech 20 in. diam. & bray S 73 W 29 lks. dist. &

161

T. 2. N. R. 11. E. 2. Mer. Indiana
Ch. 2. 1/4.

a Beech 24 in. diam. - bear N 57 E 16 lks. dist.
60.40 a Sugar 5 "
80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Sugar 13 in. diam. - bear N 63 E 17 lks. dist. of
an Elm 24 " " " N 64 W 16 " "
Land rolling 2nd rate, Beech, Ash & Sugar

East On Rand. between Sec. 16 & 21

40.00 Set temp. g. Sec. post
46.00 a Stream 7 lks. wide Course South
79.70 Intersected the N & S. line 100 lks. S. of post
Land level & rich, Beech, Ash, Sugar & Spice

West Corrected between Sec. 16 & 21

39.85 Set g. Sec. post at average dist. from which
a Sugar 9 in. diam. - bear S 44 E 16 lks. dist. of
a Do. 6 " " " N 26 W 16 " "
79.70 to Sec. Corner

North Between Sec. 16 & 17

21.28 a Beech 18 in. diam.
40.00 Set g. Sec. post, from which
a Gynn 4 in. diam. - bear N 75 W 5 lks. dist. of
a Sugar 7 " " " N 52 E 18 " "
56.09 a Beech 15 "
80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Sugar 11 in. diam. - bear S 28 E 11 lks. dist. of
a Do. 6 " " " N 28 W 9 " "
(Description of land, timber &c omitted)

East On Rand. between Sec. 9 & 16

29.73 a Stream 15 lks. wide Course South
40.00 Set temp. g. Sec. post
80.60 Intersected the N & S. line 80 lks. S. of post
Land level & rich, Beech, Ash, Sugar, Spice

T2 N R11 E. 2ⁿ. Mer. Indiana

ch. lkr.

West Corrected between Sec. 9 & 16

40.30 Set q^r. Sec. post at average dist. from which
 a Sugar 11 in. diam.; bray S 73 E 3 lkr. dist. 6
 a Beech 24 " " " N 73 W 30 " "

80.60 to Sec. Corner

North Between Sec. 8 & 9

3.87 a W. Oak 24 in. diam.

40.00 Set q^r. Sec. post, from which
 a Beech 16 in. diam.; bray S 55 E 12 lkr. dist. 6
 a Sugar 6 " " " N 29 W 3 " "

80.00 Set post cor. to Sec. 4, 5, 8 & 9, from which
 a Sugar 12 in. diam.; bray N 24 E 31 lkr. dist. 6
 a Do. 7 " " " S 30 W 12 " "
 Land level 1st rate, but inclining to wet
 Beech, Ash, Sugar, undergth. Spice

East On Rand. between Sec. 4 & 9

40.00 Set temp^y. q^r. Sec. post

79.92 Intersected the N & S. line 170 lkr. S. of post
 Land rolling level & rich, but inclining to
 wet, Beech, Ash, Sugar, undergth. Spice

West Corrected between Sec. 4 & 9

39.96 Set q^r. Sec. post at average dist. from which
 a Beech 30 in. diam.; bray S 80 W 16 lkr. dist. 6
 a Do. 24 " " " S 76 E 41 " "

79.92 to Sec. Corner.

North Between Sec. 4 & 5

34.67 a Beech 13 in. diam.

40.00 Set q^r. Sec. post, from which
 an Ash 10 in. diam.; bray S 73 E 18 lkr. dist. 6
 a Do. 3 " " " N 49 W 14 " "

52.75 a Sugar 15 " "

69.84 Intersected the N. boundary 190 lkr. W. of post.

163

T12 N. R11 E. 2nd Mer. Indiana
Ch. 1st 1st 1st

Set post Cor. to Sec. 4 & 5, from which
a Beech 36 in. diam. - bear S10 W12 1/2 k. dist. of
an Ash 10 " " " N13 E25 " "
Beech, Ash, Sugar, some Poplar, much Spice
September 14th 1819

North Between Sec. 31 & 32 T12 N. R11 E.
25.64 an Ash 9 in. diam.

40.00 Set q^r. Sec. post, from which
a Hickory 15 in. diam. - bear S76 E6 1/2 k. dist. of
an Ash 6 " " " N73 W21 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
a Sugar 24 in. diam. - bear N33 E2 1/2 k. dist. of
an Ash 16 " " " S26 W11 " "
Land level inclining to wet 2nd rate, Beech,
Ash, Sugar, undergth Spice

East On Rand^m. between Sec. 29 & 32.

40.00 Set temp^y. q^r. Sec. post
78.20 Intersected the N & S. line 17 k. N. of post
Land level 2nd rate, Beech, Ash, Sugar, Spice

West Connected between Sec. 29 & 32

39.10 Set q^r. Sec. post, at average dist. from which
a Beech 6 in. diam. - bear N7 W12 1/2 k. dist. of
a Sugar 12 " " " S67 W30 " "

78.20 to Sec. Corner

West between Sec. 30 & 31

40.00 Set q^r. Sec. post, from which
a Sugar 9 in. diam. - bear S88 W18 1/2 k. dist. of
an Ironw^d. 5 " " " S73 E12 " "

46.82 a Sugar 10 " "

51.37 Intersected the W. boundary 30 k. S. of post
Set post Cor. to Sec. 30 & 31, from which

T12 N. R. 11 E. 2nd Mer. Indiana
 ch. 1st 1/2
 an Elm 15 in. diam. & beam N 39 W 5 1/2 k. dist. 1/2
 a Do. 20 " " " South 8 " "
 Land level & rich timber Beech, Ash, Poplar
 Sugar, undergth Spice

North Between Sec. 29 & 30
 19.50 a Beech 10 in. diam.
 40.00 Set temp. g. & sec. post, from which
 a Hickory 12 in. diam. & beam N 30 W 9 k. dist. 1/2
 an Ash 14 " " " S 23 W 13 " "
 80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
 a Beech 8 in. diam. & beam N 64 E 6 k. dist. 1/2
 a Do. 15 " " " S 85 W 13 " "
 Land level inclining to wet, but scarce of run-
 ning water, 2nd rate, Beech, Ash, Poplar,
 Sugar, Spice & Pawpaw.

East Out Rand. between Sec. 20 & 29
 40.00 Set temp. g. & sec. post
 77.75 Intersected the N & S. line 212 k. N. of post
 Land level inclining to wet 2nd rate, Beech,
 Ash, Poplar, Sugar &c.

West Corrected between Sec. 20 & 29
 38.87 1/2 Set g. & sec. post at average dist. from which
 a Sugar 12 in. diam. & beam South 16 k. dist. 1/2
 an Elm 15 " " " N 11 W 21 " "
 77.75 to Sec. Corner

West Between Sec. 19 & 30
 20.40 a Beech 24 in. diam.
 40.00 Set g. & sec. post, from which
 a Hickory 10 in. diam. & beam N 37 W 20 k. dist. 1/2
 a Beech 12 " " " S 74 E 27 k. "
 51.50 Intersected the W. boundary 46 k. N. of post
 Set post Cor. to Sec. 19 & 30, from which

T 12 N R 11 E. 2nd Mer. Indiana
ch. 1st 1/4

a Beech 11 in. diam. brang East 10 lks. dist. of
a Do. 12 " " " N 67 W 11 " "
Land level rich, Beech, ash, sugar,
undergth Spice

North / Between Sec. 19 & 20

25.50 a Sugar 20 in. diam.

40.00 Set of Sec. post, from which

a Sugar 7 in. diam. brang N 50 E 12 lks. dist. of
an Ash 7 " " " S 50 W 21 " "

67.83 a Spruce 12 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which

a W. Beech 6 in. diam. brang S 35 E 19 lks. dist. of
an Elm 16 " " " North 21 " "

Land level 2nd rate, Beech, Ash & Poplar

East On Land. between Sec. 17 & 20

40.00 Set temp. of Sec. post

78.27 Intersected the N & S. line 13 lks. S. of post

Land level 1st rate, Beech, Ash, Sugar, Spice

West Corrected between Sec. 17 & 20

39.13 1/2 Set of Sec. post at average dist. from which

a Sugar 8 in. diam. brang S 8 E 16 lks. dist. of

a Beech 10 " " " N 38 W 9 " "

78.27 to Sec. Corner

West / Between Sec. 18 & 19

19.14 a Hackberry 13 in. diam.

40.00 Set of Sec. post, from which

a Buckeye 11 in. diam. brang N 80 E 22 lks. dist. of

a W. Thorn 4 " " " S 64 W 11 " "

48.90 a Sugar 24 " "

51.33 Intersected W. boundary 244 lks. N. of post

Set post Cor. to Sec. 18 & 19, from which

T12 N R11 E. 2.^d Mer. Indiana
 ch. 1st 1/2
 a W. Oak 16 in. diam. - bran S 28° W 6 1/2 ch. dist.
 at Beech 6 " " " N 44° W 7 " "
 Sand level 1st rate, Beech, Ash, Poplar
 Sugar, undg.th Spice

North Between Sec. 17 & 18

22.25 a Hickory 15 in. diam.

40.00 Set q. Sec. post, from which

a Beech 36 in. diam. - bran N 36° W 10 ch. dist.

a W. Beech 5 " " " S 51° W 10 " "

75.60 a Sw. Oak 24 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which

a Beech 10 in. diam. - bran N 59° E 16 ch. dist. &

an Oak 24 " " " S 51° W 33 " "

Sand level inclining 2^d rate, Beech, Ash
 Poplar, Sugar, undg.th Spice

September 15th 1819

East On Land^m. between Sec. 8 & 17

40.00 Set temp. q. Sec. post

78.92 intersected N & S. line at the post

Sand level & rich

West Corrected between Sec. 8 & 17

39.46 Set q. Sec. post at average dist. from which

a Sugar 11 in. diam. - bran S 8° W 19 ch. dist. &

an Ash 20 " " " N 46° E 21 " "

78.92 to Sec. Corner

West Between Sec. 7 & 18

7.40 an Ash 12 in. diam.

40.00 Set q. Sec. post, from which

a Poplar 30 in. diam. - bran N 66° E 10 ch. dist. &

a Beech 6 " " " S 62° W 11 " "

50.87 intersected the N. boundary 317 ch. N. of post

Set post Cor. to Sec. 7 & 18, from which

167

T2 N R11 E. 2nd Mer. Indiana
ch 2nd 1/2

a Beech 5 in. diam. bray S30 E 9 lks. dist. 5
a No. 8 " " " N28 W24 " "
Sand level part wet 2nd rate, Beech, Ash,
Sugar, undugst Spice

North Between Sec. 7 & 8

6.25 a Sugar 18 in. diam.
40.00 Set of Sec. post, from which
a Sugar 12 in. diam. bray N73 E 10 lks. dist. 5
an Elm 6 " " " S47 W12 " "
45.79 a Hickory 24 " "
80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Swt. Oak 20 in. diam. bray N81 W5 lks. dist. 5
a Maple 12 " " " S68 E23 " "
Sand level 1st rate, Beech, Ash, Poplar,
Sugar, some Walnut & Spice

East Rand^m. between Sec. 5 & 8

40.00 Set temp^y. of Sec. post
78.35 Intersected the N of S. line 161 lks. N. of post
Sand level rich though scarce of water
Beech, Ash, Sugar &c.

West Corrected between Sec. 5 & 8

39.17 Set of Sec. post, from which
a Sugar 6 in. diam. bray N32 E 16 lks. dist. 5
an Elm 18 " " " S46 W10 " "
78.35 to Sec. Corner

West Between Sec. 6 & 7

29.92 a Beech 10 in. diam.
40.00 Set of Sec. post, from which
a Sugar 5 in. diam. bray S69 W9 lks. dist. 5
a Buckeye 12 " " " N88 E18 " "
45.60 a Beech 36 " "

T¹² N R 11 E. 2^d Mer. Indianach. 2^{ly}

51.12 Intersected W. boundary 450 Ch. N. of post
 at post Cor. to Sec. 6 & 7, from which
 a Sugar 5 in. diam. bran S 46 E 18 Ch. dist. 9
 at Beech 36 " " " N 28 W 40 " "
 Land level rich scarce of water, Beech, ash
 Poplar Sugar, Walnut, undr. th Spice

North Between Sec. 5 & 6

5.00 an Ash 30 in. diam.

40.00 at q^r. Sec. post, from which
 at Beech 30 in. diam. bran S 6 W 17 Ch. dist. 9
 a Sugar 6 " " " N 51 W 11 " "

70.13 Intersected N. boundary at post, which
 made Cor. to Sec. 5 & 6, from which
 at Beech 12 in. diam. bran N 34 E 18 Ch. dist. 9
 a Sugar 7 " " " S 29 W 41 " "
 First $\frac{1}{2}$ mile level inclining to west 2^d rate
 last $\frac{1}{2}$ mile level 1st rate, Beech Sugar much
 Spice.

September 16th 1819

John Hendricks, U. S.

I certify that the foregoing transcript of field
 notes of Township N. 12 North, of Range N. 11 E.
 of the 2^d Principal Meridian Indiana, has
 been compared with the Original notes in this
 Office, and found to be Correct.

Surveyor General's Office
 Cincinnati, Aug. 30. 1844

William Johnston
 Sur. Genl.

County